

The Yukon Immunization Program (YIP) requires all health centres to report a cold chain break to the Immunization Program and quarantine the product until further direction is provided. When submitting a cold chain break, please complete **all sections** of the incident report form and ensure that the actions listed below are complete. Please submit the completed report form to <u>immunizationprogram@yukon.ca</u> for further direction.

SECTION A – HEALTH CENTRE INFORMATION				
Health centre:	Date of report:			
Report completed by:	Alternative Contact:			
Contact Information:	Alternative Contact Information:			
(Phone):	(Phone):			
(Fax):	(Fax):			
Incident Report Number (YIP use only):				

Action 1: Take action when vaccines or biologics have been exposed to temperatures < +2°C or >+8°C

Action 2: Separate affected vaccines or biologics in a separate container (paper bag) marked "DO NOT USE" and place in a well-functioning monitored refrigerator or cooler until further instruction is provided on what to do with the vaccines. Note: quarantined products should be stored according to the instructions found on each product page (see, Yukon Immunization Manual).

The vaccines and biologics may still be viable. Do not assume that the product cannot be salvaged.



Action 3: Record the list of exposed vaccines and/or biologics on the next page:

SECTION B – DESCRIPTION OF EXPOSED VACCINES AND BIOLOGICS						
Name of Vaccines/Biologics	Manufacturer	Lot Number	Expiry Date	Quantity (doses)	Previous exposure (Y/N)?	Recommendation from Manufacture (YIP Use Only)

*See <u>appendix A</u> for additional page(s) if needed

Action 4: Identify duration of exposure to undesirable storage temperatures and identify why the cold chain failure occurred.

SECTION C – DESCRIPTION OF OCCURRENCE AND TEMPERATURES						
	Date	Time	Current Temp	Minimum Temp	Maximum Temp	
When break discovered						
When temp last checked						

SECTION	C (CONTINUED) – DESCRIPTION OF OCCURRENCE AND TEMPERATURES
Duration	of exposure (in estimated hours):
Cause of	occurrence:
🗆 Eq	guipment malfunction
🗆 Ele	ectricity disconnected
🗆 Po	ower failure
🗆 Hu	uman Error
🗆 Ot	ther, specify:

Action 5: Consultation with YIP is required:

1. To discuss the occurrence



- 2. To review what products are viable
- 3. To discuss appropriate disposal procedures (either discarded into an appropriate biological waste container or returned to WGH)
- 4. For approval to order replacement product.

SECTION D – TEMPERATURE MONITORING AND REFRIGERATOR INFORMATION	
Is the refrigerator temperature monitored?	
□ No	
□ Yes	
If yes, indicate the type of thermometer used:	
□ Other	
Min/max thermometer	
Continuous temp data logger	
Is temperature recorded:	
□ No	
□ Yes	
Indicate the frequency of temperature monitoring:	
Twice daily on working days	
From time to time	
Daily on working days	
Other, specify:	_
Indicate the type of fridge:	
□ Lab style	
Bar style fridge	
 Age in years: 	
□ Domestic	
Other, specify:	
(If applicable) Cold chain failure during transport to and during off-site clinics	
Indicate type of carrier (cooler):	
Type of cold chain monitor used:	
Continuous temperature data logger	
 Duration of exposure (in estimated hours): 	
Cold mark:	
o Clear	
 Pink/cloudy 	
Maximum Temperature: Minimum Temperature:	
□ Warm mark:	
 How many round indicator windows are partially or completely pink/red? 	

SECTION E – ACTIONS TAKEN FOLLOWING RECOGNITION OF OCCURRENCE



Action 6: YIP will contact the specific manufacturer (in Canada) for immediate advice on whether or not the vaccines or biologics can be used. YIP will indicate the manufacturer recommendations on the table in Section B and advise the clinic of next steps.

Action 7: If there has been a cold chain break, receive the contents of the container that experienced the cold chain break into CCQ HP within the Panorama Inventory Module. Once YIP has given guidance on viability, vaccines can be moved from CCQ back into OP REF or OP FRZ. For guidance on Panorama inventory functions refer to the QRGs found in the G drive.

Action 8: Vaccines and biologics deemed useable must be clearly identified with a Red Dot or label, as having been exposed to a cold chain failure, date, and length of exposure in hours and ensure these products are used first.



Appendix A: Additional space for recording vaccine information

SECTION B – DESCRIPTION C			LOGICS			
Name of Vaccines/Biologics	Manufacturer	Lot Number	Expiry Date	Quantity (doses)	Previous exposure (Y/N)?	Recommendation from Manufacture (YIP Use Only)