DATE:	/2023
D/ \ I L.	 2020

Moderna SPIKEVAX XBB.1.5

Vial Lot #	TIME MANAGEM	EXPIRY / USE BY TIME:	
FROZEN →ROOM TEMPERATURE	START TIME:	+45 MINS =	+24 HOURS=
FRIDGE →ROOM TEMPERATURE	START TIME:	+15 MINS=	+24 HOURS=
Vial PUNCTURE TIME:			+24 HOURS=
DOSES WASTED:		Total doses drawn up:	

Vial Lot #	TIME MANAGEMENT CALCULATIONS:			EXPIRY / USE BY TIME:
FROZEN →ROOM TEMPERATURE	START TIME:	+45 MINS =		+24 HOURS=
FRIDGE →ROOM TEMPERATURE	START TIME:	+15 MINS=		+24 HOURS=
Vial PUNCTURE TIME:			+24 HOURS=	
DOSES WASTED:			Total doses drawn up:	

Vial Lot #	TIME MANAGEMENT CALCULATIONS:			EXPIRY / USE BY TIME:
FROZEN →ROOM TEMPERATURE	START TIME:	+45 MI	NS =	+24 HOURS=
FRIDGE →ROOM TEMPERATURE	START TIME:	+15 MINS=		+24 HOURS=
Vial PUNCTURE TIME:				+24 HOURS=
DOSES WASTED:			Total doses drawn up:	

Vial Lot #	TIME MANAGEMENT CALCULATIONS:			EXPIRY / USE BY TIME:
FROZEN →ROOM TEMPERATURE	START TIME:	+45 MINS =		+24 HOURS=
FRIDGE →ROOM TEMPERATURE	START TIME:	+15 MINS=		+24 HOURS=
Vial PUNCTURE TIME:				+24 HOURS=
DOSES WASTED:			Total doses drawn up:	